


Color Swatches:



SL Hi-Tech

Designer doors from Superlock's Hi-Tech series provide an exciting answer to the renewal of contemporary design. The technological character and clean lines are a result of listening and attentiveness to the wishes of consumers, who are very discerning in their understanding of beauty, elegance and charm.

Hi-Tech doors combine wisdom and technology – The steel that protects us remains, over which we add modern steel elements that are oven-painted, or we use natural aluminum that provides a feeling of power, beauty and strength.

Technical Specifications:

- Model 125 multi-bolted lock, 14 mm. bolts with a 25 mm. penetration depth into frame - a SUPERLOCK exclusive.
- Cylinder shield with self - destructing mechanism - a SUPERLOCK exclusive.
- Maximum resistance, suited to climatic conditions.
- Fortified thermal - acoustic insulation.
- Improved rimlock - a SUPERLOCK exclusive.




The decorative handles in Hi-Tech doors are option only. not include in the doors price

The pictures are for illustration only. There may be differences between the look and colors of the doors in the picture, and in reality.




SL 8001 | Color 1013 ivory textured



SL 8001 | Color venge wood image



SL 8001 | Culoare Bordeaux granulat 1116



SL 8001 | Culoare Maro Inchis granulat 8019



SL 8002 | Color 900 grey granulated



SL 8002 | Color 9016 white granulated




SL 8002 | Color 6109 green granulated




SL 8002 | Color 441P beige granulated




SL 8003 | Color 7126 grey granulated




SL 8003 | Color 900 grey granulated




SL 8004 | Color 9005 black granulated .Strip - 9016 white granulated




SL 8004 | Color 9016 white granulated . Strip - 9005 black granulated



SL 8004 | Color 6109 green granulated .Strip - 9001white granulated




SL 8004 | Color 9016 white granulated .Strip - 0096 granulated




SL 8004 | Color 0096 granulated .Strip - color 9016 granulated




SL 8004 | Color 1013 ivory textured .Strip - color 0096 granulated




SL 8005 | Aluminum covers grey color




SL 8005 | Aluminum covers black color




SL 8005A | Aluminum covers black color



SL 8005A | Aluminum covers red color



SL 8005A | Aluminum covers white color



SL 8006 | Glass covers black color




SL 8006 | Glass covers white color



SL 8006 | Glass covers red color

SUPERLOCK COLOR SWATCHES

RAL TEXTURE COLORS



9016 white



1013 ivory


GRAIN




9016 white




9001 white pearl



0096 Aluminum




7240 grey



441p beige




900 grey



7126 grey




600 grey (blue)




8019 Dark brown




8016 brown




1116 bordeaux



6109 green



235 blue




9005 black

SUPERLOCK COLOR SWATCHES - continued


ART DECOR BIZANT



gold with brown background




bronze with black background




silver with black background


ART DECOR FOLKLORE



gold with brown background



bronze with black background




silver with black background


ART DECOR WOOD LIKE




gold with brown background



bronze with black background



silver with black background



brown with wenga background

ART DECOR CASTLE



gold with black background



bronze with black background



silver with black background

HARDWARE COLLECTION

Luxury Covered Rosette



Antique



Nickel

Luxury Covered Plate



Antique



Nickel

Luxury Painted Plate



Brown



White



Blacksmith hardware

Inbal



covered rosette - nickel

Yuval



covered nickel



Antique



Ofek

190



100



Coral

180



181



183



185



191



192



193



152



Copper

Black

Brass

101



Brass Black

108



Brass Black Copper

131



Black Copper

132



124




158



200



SELF DESTRUCTION MECHANISM




SUPERLOCK has developed a unique self-destructing mechanism that makes it difficult to break into the entrance door. Any attempt to harm the exterior cylinder shield or the cylinder itself triggers a chain reaction by which the lock is damaged. As a result, the locking system sticks, creating a situation in which it is stuck fast (like with a safe). The self-destructing mechanism is installed on all the entrance doors produced in our plant


SECURITY LOCK



Luxury Rim Lock




Extra Lock
(exterior side)



Extra Lock
(interior side)

SL TECHNIC SCANNING DOOR




SL TECHNIC


Specification:

- Geometrical Lock (applying force on the bolt does not affect the other bolts)
- Locking/unlocking operation is achieved by one turn of key
- Bolt projection: 25mm
- Corrosion resistance: 8hr salt for test
- 4 front bolts with 14mm diameter for lock 125
- 4 front bolts with 10mm diameter for lock 124
- 3 additional bolts to other direction 14mm diameter each
- Axial load on bolt up to 500kg per EN 12209
- Lateral load on bolts up to 700kg per EN 12209


Security lock model 125 - drawing



Security lock model 124



Security lock model 125





INSTYTUT MECHANIKI PRECYZYJNEJ

Zakład Certyfikacji

01-796 Warszawa, ul. Duchnicka 3

Rok zał. 1927

tel. 0-22 663-43-14,
0-22 560-25-40

tel./fax 0-22 560-29-22,
0-22 663-43-17

e-mail: wojtan@imp.edu.pl
<http://www.imp.edu.pl/cert>



AC 041

CERTIFICATE OF CONFORMITY

No. P41/325/2008 (3037)

ENGLISH EDITION

Name and address of the certificate owner:	SHIRYONIT HOSEM SECURITY PRODUCTS MANUFACTURING (1991) LTD. 12 DERECH HAHAROSHET, NEW IND. ZONE, KIRYAT GAT, ISRAEL
Name and address of the manufacturer:	SHIRYONIT HOSEM SECURITY PRODUCTS MANUFACTURING (1991) LTD. 12 DERECH HAHAROSHET, NEW IND. ZONE, KIRYAT GAT, ISRAEL
Product name:	Door lock
Type (variants):	LOCK 125
Main features:	Class of protection: - 4 - acc. to PN-EN 12209: 2005 Detailed classification on the reverse
SWW and PKWIU symbols:	PKWIU 28.63.12-30.00
The product is in accordance with:	PN-EN 12209: 2005
According to the report issued by:	Search Laboratory for Mechanical Security Products of Institute of Precision Mechanics (Cert. of Accr. AB035)
No. and date of the report:	No. LB-1/110/2007 issued on March 1, 2007
Date of expiration:	September 11, 2011
Rights for using this certificate from September 12, 2008 until September 11, 2011 refer only to products having identical parameters as sample(s) shown for inspection and meeting requirements stated in application No. 176/W/2008.	
Certification of conformity acc. to the model type evaluation, testing & evaluation of samples, supervision including inspection of supplier's quality system.	

MANAGER
Certification Division

Wojciech DĄBROWSKI, M.Sc.



DIRECTOR
Institute of Precision Mechanics

prof. Aleksander NARONIECZNY, D.Eng.

Certificate can be published only by Certificate Owner without comments, abbreviations and changes.
Warsaw, September 12, 2008.

No. P41/325/2008 (3037)


1	2	3	4	5	6	7	8	9	10	11
Category of use	Durability and load on latch bolt	Door mass and closing force	Suitability for use on fire/smoke doors	Safety	Corrosion resistance and temperature	Security and anti resistance	Field of door application	Type of key operation and locking	Type of spindle operation	Key identification
2	A	2	1	0	0	4	B	A	2	0

KIEROWNIK
ZAKŁADU Certyfikacji


mgr inż. Wojciech Dąbrowski

SL TECHNIC


FRAMES SWATCHES




Construction Frame



Sloping
Construction Frame




Asymmetric
Basic Frame




Embracing (Slip-on)
Frame

FRAMES


Basic asymmetric frame
30/50




Construction frame



Basic asymmetric frame
50/70



Metal cover for frame




Embracing frame




Installation of security door on embracing frame (usually gypsum wall)

WALL OPENING - CONSTRUCTION FRAME



WALL OPENING - BASIC ASIMMETRIC FRAME



WALL OPENING - EMBRACING FRAME

